

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24182

Stream : Ohio River

Applicant : City of Jeffersonville
Rob Poff, Parks Department
500 Quartermaster Court
Jeffersonville, IN 47130-3672

Description : A existing wooden dock will be removed and replaced with a 96' by 4' dock with floating boat slips. Also, approximately 150' of linear shore along the Ohio River will be dredged to remove approximately 250 cubic yards of sediment. In addition, a 90' by 4' concrete sidewalk will be constructed to connect a parking lot with the docks. Details of the project are contained in information and plans received at the Division of Water on February 13, 2007.

Location : The proposed project site is located along the north bank of the Ohio River near river mile 599.85. Beginning approximately 1400' west and 1800' south of the Allison Lane and Utica Pike intersection and extending approximately 300' northwest and 300' southwest
near Jeffersonville, Jeffersonville Township, Clark County
Clark Military Grant #4, Jeffersonville, IN-KY Quadrangle
Quad Code: 3808536
UTM Coordinates: Downstream 4238996 North, 614214 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24183

Stream : Delaney Creek

Applicant : Hoosier Hikers Council
Patrick Eaton
P.O. Box 1327
Martinsville, IN 46151-0327

Description : A new bridge will be constructed over Delaney Creek to carry pedestrian traffic across the stream. The new structure will use galvanized steel trusses mounted 5' above the stream banks on posts that are setback 5' from the bank and will remain attached to suspension cables used to transport truss assembly across the stream. A 40' by 60' temporary worksite between the stream and a field will be allowed to revegetate naturally after construction. Details of the project are contained in information and plans received at the Division of Water on February 14, 2007.

Location : Approximately 200' downstream of the confluence with Spurgeon Creek
near Vallonia, Monroe Township, Washington County
SW¼, SE¼, NE¼, Section 10, T 3N, R 4E, Kossuth Quadrangle
Quad Code: 3808661
UTM Coordinates: Downstream 4285380 North, 581852 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24190

Stream : East Branch Wea Creek

Applicant : Mike Molter
4001 East 900 South
Lafayette, IN 47909-9115

Description : A placement of concrete/stone to protect the stream bank from erosion is proposed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on February 16, 2007.

Location : Approximately 1/2 mile east of County Road 350 East on south side of County Road 900 South
near Lafayette, Lauramie Township, Tippecanoe County
T 21N, R 4W, Stockwell Quadrangle
Quad Code: 4008637

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24192

Stream : Galena River

Applicant : Indiana Michigan Power Company
Alan R. Wood, P.E.
1 Riverside Plaza
Columbus, OH 43215-2355

Description : A 7.2 KV electric distribution line will be placed beneath the stream bed of the Galena River to provide new electric service to a residential customer located at 388 East County Road 900 North. The line will be placed by the direction boring method. It will have 4' of cover beneath the streambed and 3' in the banks. Details of the project are contained in information and plans received at the Division of Water on February 19, 2007.

Location : Approximately 1800' upstream of the County Road 900 North stream crossing near Hesston, Galena Township, LaPorte County
SW¼, NE¼, NW¼, Section 19, T 38N, R 2W, Springville Quadrangle
Quad Code: 4108666
UTM Coordinates: Downstream 4620385 North, 525445 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24193

Stream : Cedar Creek

Applicant : Richard and Ruth Liechty
18808 North State Road 1
Spencerville, IN 46788-9624

Description : A new residential development is proposed. Construction activities include a 73,000 square foot by 10 foot deep stormwater detention basin. Material excavated for the detention basin will be used to elevate the building pads. A 12 inch by 200 foot long stormwater pipe will be constructed 4 to 6 feet below existing grade and will convey stormwater from the detention basin to Cedar Creek. The outfall will discharge onto riprap at the bank. Details of the project are contained in information and plans received at the Division of Water on February 19, 2007

Location : Along the north (right) bank, beginning at the Old State Road 421 stream crossing, extending approximately 913' west and 1068' north
DOWNSTREAM: near Spencerville, Jackson Township, DeKalb County
SW¼, NE¼, NE¼, Section 13, T 33N, R 12E, Auburn Quadrangle
Quad Code: 4108531
UTM Coordinates: Downstream 4576261 North, 660561 East
UPSTREAM: SE¼, NE¼, NE¼, Section 13, T 33N, R 12E

UTM Coordinates: Upstream 4576201 North, 660827 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24194

Stream : Main Beaver Dam Ditch

Applicant : Heidbreder Inc
John Manis
P.O. Box 728
Crown Point, IN 46308-0278

Description : Two culverts and a roadway will be constructed. Each culvert crossing will consist of two parallel 16.5' wide by 11' high corrugated metal pipe arch culverts with concrete headwalls and wingwalls. The northern crossing will be 114' in length with upstream and downstream inverts of 684.1' and 683.9', respectively. The southern crossing will be 94' in length with upstream and downstream inverts of 684.2' and 684.1' respectively. All headwalls will be perpendicular to the channel and wingwalls will be at various custom angles corresponding to the roadway embankment slopes. Channel shaping will occur both downstream and upstream of the crossings. The approach roads will be constructed on compacted fill with 3:1 sideslopes for stability. This project will also include the filling of a 150' by 280' area for a parking lot and detention pond and the filling of a 100' by 180' area to transition from a proposed neighboring development to the roadway. Excavation will occur along the ditch both to compensate for fill and to provide wetland mitigation. Details of the project are contained in information and plans received at the Division of Water on February 19, 2007.

Location : Extending approximately 800' east and 2150' south of the State Road 53 and 113th Avenue intersection
DOWNSTREAM: at Crown Point, Center Township, Lake County
NW¼, NW¼, SW¼, Section 10, T 34N, R 8W, Crown Point Quadrangle
Quad Code: 4108743
UTM Coordinates: Downstream 4584660 North, 472093 East
UPSTREAM: SW¼, NW¼, SW¼, Section 10, T 34N, R 8W

UTM Coordinates: Upstream 4584297 North, 471964 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24200

Stream : Little Calumet River

Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : This project will consist of improvements on US 41 (Indianapolis Boulevard) for a future commercial development. Construction will include widening of the road to allow for additional lanes, including turn lanes, in both the northbound and southbound directions. The road profile will be raised along portions of the project, with a maximum increase of approximately 1' higher than the existing profile. In addition, new guardrails will be installed. Details of the project are contained in information and plans received at the Division of Water on February 21, 2007, February 28, 2007.

Location : Beginning at the north end of the US 41 (Indianapolis Boulevard) crossing and extending approximately 1465' northwest
DOWNSTREAM: at Hammond, North Township, Lake County
NW¼, SE¼, SE¼, Section 17, T 36N, R 9W, Highland Quadrangle
Quad Code: 4108754
UTM Coordinates: Downstream 4602090 North, 460344 East
UPSTREAM:
UTM Coordinates: Upstream 4601986 North, 460414 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24201

Stream : Big Cedar Creek

Applicant : Marvin L Miller
1129 Hickorylake Drive
Cincinnati, OH 45233-4831

Description : Approximately 30' the stream's eroded east and west streambanks will be excavated 3' deep, filled and regraded with riprap laid over a geotextile fabric. Also proposed is a 90' x 18' single span beams private driveway bridge above the 100-year frequency flood elevation of 628.10' National Geodetic Vertical Datum 1929 (NGVD'29). Details of the project are contained in information and plans received at the Division of Water on February 22, 2007.

Location : Approximately 5000' upstream (north) of the US Highway 52 bridge stream crossing
near Cedar Grove, Brookville Township, Franklin County
NW¼, NE¼, SW¼, Section 12, T 8N, R 2W, Cedar Grove Quadrangle
Quad Code: 3908438
UTM Coordinates: Downstream 4359800 North, 677330 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24202

Stream : Wabash River

Applicant : Edward Dawson
3367 Georgetown Lane
Logansport, IN 46947-6612

Description : A residential structure will be reconstructed on the original 40' by 20' foundation. The top of the foundation is 5'-6" from the ground elevation. Details of the project are contained in information and plans received at the Division of Water on February 22, 2007.

Location : Along the north bank, approximately 670' east of County Road 400 West, extending 1,680' east, between Pennsylvania Railroad and the Wabash River
DOWNSTREAM: near Logansport, Noble Township, Cass County
NE¼, NW¼, SE¼, Section 29, T 27N, R 1E, Lucerne Quadrangle
Quad Code: 4008674
UTM Coordinates: Downstream 4511943 North, 547568 East
UPSTREAM:
UTM Coordinates: Upstream 4511834 North, 548030 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24203

Stream : Salt Creek

Applicant : Joseph Robertson
PO Box 826
Nashville, IN 47448-0826

Description : A new bridge will be constructed over the stream. The new structure will be a 1-span steel beam bridge. The structure will have an out-to-out length of 65' and a clear roadway width of 8'-3". The approach roads will be elevated a maximum of 2'-4" (22" of fill and 6" concrete pad) above the existing grade. To protect the bank from further erosion, riprap will be placed over geotextile fabric and will conform to the existing bank at the project limits. Details of the project are contained in information and plans received at the Division of Water on February 22, 2007 and on February 28, 2007.

Location : 5423 Upper Salt Creek Road
near Nashville, Hamblen Township, Brown County
NW¼, NW¼, SE¼, Section 26, T 10N, R 3E, Beanblossom Quadrangle
Quad Code: 3908632
UTM Coordinates: Downstream 4347500 North, 571950 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24204

Stream : Wabash River

Applicant : Bud & Son's Auto LLC
Kevin L. Gardner
510 West Walnut Drive
West Terre Haute, IN 47885-9076

Description : This is an auto parts yard. We purchase automobiles, dismantle them, and sell the used parts. We need to build a pole barn type building to store the used parts until sold. The building will not have plumbing of any type, and will only have a gravel floor. The construction material will be steel. No excavation will be needed. Everything will be a current ground level. Details of the project are contained in information received electronically at the Division of Water on February 22, 2007.

Location : 510 West Walnut Drive
near Terre Haute, Sugar Creek Township, Vigo County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24205

Stream : West Creek

Applicant : Lake County Drainage Board
Daniel V Gossman
2293 North Main Street
Crown Point, IN 46307-1854

Description : Approximately 11,800' of West Creek will be reconstructed. Work will include 1) removal of accumulations of logs, root wads, trees in danger of falling into the stream or obstructing the flow, and other debris that spans the waterway using hand operated and/or heavy equipment; 2) dipping, dredging, and/or removing sediment from the channel bottom down to its original elevation along a 10,300' reach of stream; 3) installation of an in-channel sediment basin approximately 80' long and 3' deep; and 4) riprap bank protection in areas of erosion, mimicking the natural slope of the channel bank. Details of the project are contained in information received electronically at the Division of Water on February 22, 2007.

Location : The project is located along West Creek between 169th Street and 185th Street
DOWNSTREAM: near Lowell, West Creek Township, Lake County
SW¼, SE¼, NW¼, Section 13, T 33N, R 10W, Beecher East, IL-IN Quadrangle
Quad Code: 4108735
UTM Coordinates: Downstream 4570303 North, 456534 East
UPSTREAM: NE¼, NE¼, SE¼, Section 13, T 33N, R 10W

UTM Coordinates: Upstream 4573517 North, 457518 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24206

Stream : Ohio River

Applicant : Joseph W Derr
1115 North First Street
Boonville, IN 47601-2501

Description : An existing residential structure will be elevated with two rows of block to the existing block walls supporting the structure. The cabin will be anchored to the concrete floor with angle iron. The current concrete floor will be refinished by adding a 3" layer of concrete over the existing concrete to help with the corner anchors. The span from front to back is supported by steel I-beams which rest on the front and back walls and have steel channel welded to them and anchored into the concrete. There will be no change in the length or width of the cabin or supporting walls. The living space will be elevated 2' above the 100-year base flood elevation. The structure will have a finished floor elevation of 388.2', NVGD 1929. Details of the project are contained in information received electronically at the Division of Water on February 23, 2007.

Location : 8648 West River Road; along the right (north) overbank, at river mile 765.5 near Enterprise, Luce Township, Spencer County
NW¼, NE¼, SW¼, Section 5, T 8S, R 7W, Owensboro West, IN-KY Quadrangle
Quad Code: 3708772
UTM Coordinates: Downstream 4189175 North, 480763 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24207

Stream : Little Eagle Creek

Applicant : Town of Westfield
Renee Goff, PE
2706 East 171st Street
Westfield, IN 46074-9734

Description : A 48" diameter sewer line will run along Little Eagle Creek for approximately 2 miles, crossing in and out of the floodway. The line will be a minimum of 6' below existing ground. The site will be returned to existing grade. The line will cross under Little Eagle Creek and multiple unnamed tributaries using the open cut method. Approximately thirty-two 48" manholes will be placed along the sewer line to an elevation 18" above existing grade. Details of the project are contained in information and plans received at the Division of Water on February 26, 2007.

Location : Beginning in the right (west) overbank approximately 2000' west and 2100' south of the intersection of Little Eagle Creek and West 166th Street extending upstream in the right overbank for approximately 13500' where it crosses Little Eagle Creek approximately 800' upstream of the Eagletown Road stream crossing and continues in the left overbank for approximately 250'
DOWNSTREAM: near Westfield, Washington Township, Hamilton County
SE¼, SW¼, NW¼, Section 8, T 18N, R 3E, Westfield Quadrangle
Quad Code: 4008612
UTM Coordinates: Downstream 4430809 North, 567705 East
UPSTREAM: NW¼, NW¼, SE¼, Section 33, T 19N, R 3E

UTM Coordinates: Upstream 4433548 North, 569000 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24208

Stream : Beaver Dam Ditch

Applicant : Olthof Homes LLC
Joe Lenehan
8051 Wicker Avenue
Suite A
St. John, IN 46373-9390

Description : Approximately one mile of the Beaver Dam Ditch will be re-shaped to provide sufficient conveyance to contain the 100-year flood. The new channel will be approximately 10' deep, with a varying bottom width and 4:1 sideslopes. The existing 6' CMP culvert will be replaced with a new culvert system to reduce upstream flood damages. The new crossing will consist of two 4' and one 6' diameter RCP culverts. The new culvert will have an upstream and downstream invert of 681', NGVD and 680', NGVD respectively. Channel shaping will occur both downstream and upstream of the new culvert to improve the flow transition at the crossing. The shaping will be confined to the construction right-of-way. The reshaped areas will be stabilized with a layer of rip-rap. The roadway will be elevated approximately 2' above the existing road elevations. The crown of the roadway over the new culvert will be at 693', NGVD. A new culvert crossing will be placed near the west property boundary. The new crossing will consist of 2, parallel 8' diameter RCP culverts. They will have upstream and downstream inverts of 682', NGVD and 681', NGVD, respectively. Minor channel shaping will occur both downstream and upstream of the crossing to provide a better flow transition into and out of the culvert system. The shaping will be confined to the construction right-of-way. The approach roads will be constructed on fill placed to a maximum height of 2' over the existing elevations. The crown of the roadway over the culverts will be at 693', NGVD. Details of the project are contained in information received electronically at the Division of Water on February 26, 2007.

Location : Approximately 1500' upstream of the Clark Street stream crossing
DOWNSTREAM: near Crown Point, Center Township, Lake County
SE¼, NW¼, SE¼, Section 36, T 35N, R 9W, St. John Quadrangle
Quad Code: 4108744
UTM Coordinates: Downstream 4587860 North, 467145 East
UPSTREAM: SW¼, SE¼, NE¼, Section 35, T 35N, R 9W

UTM Coordinates: Upstream 4588168 North, 465054 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24209

Stream : Johnson Fork

Applicant : Raymond J. Grieshop Trucking, Inc.
Raymond J. Grieshop
9441 Dick Rd.
Harrison, OH 45030-8416

Description : An approximate 400' x 175' gravel bar will be excavated down to the streambed. The excavation will be performed by a backhoe/loader. A portion of the excavated material will be transported to an offsite fill area located out of the floodway. The remaining portion of the excavated material will be used to stabilize the streambanks. Details of the project are contained in information and plans received at the Division of Water on February 23, 2007 and February 28, 2007.

Location : Approximately 3000' upstream (north) of the US Highway 74 stream crossing near West Harrison, Harrison Township, Dearborn County
SE¼, NE¼, NE¼, Section 11, T 7N, R 1W, Harrison, OH-IN Quadrangle
Quad Code: 3908437
UTM Coordinates: Downstream 4350650 North, 686300 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : PL-20667

Lake : Webster Lake

Applicant : Rick Kiessling
9418 Deer Trail
Fort Wayne, IN 46804-1328

Description : A new concrete seawall will be constructed across 142' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on February 12, 2007.

Location : Webster Lake common area across road from 31 EMS W17C Lane, Lots 2 and 3, Hiner Park
near North Webster, Tippecanoe Township, Kosciusko County
NE¼, SW¼, SW¼, Section 12, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4575585 North, 611390 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20668

Lake : Cedar Lake

Applicant : Charles A Stevens
14129 Huseman Street
Cedar Lake, IN 46303-9316

Description : A new vinyl seawall will be constructed across 60' of the applicant's frontage. The seawall will be placed lakeward of the existing timber seawall. Details of the project are contained in information and plans received at the Division of Water on February 12, 2007.

Location : 14129 Huseman Street; Lots 7 and 8 of Noble Oaks Park 2nd Addition
near Cedar Lake, Hanover Township, Lake County
NE¼, NW¼, NE¼, Section 34, T 34N, R 9W, Lowell Quadrangle
Quad Code: 4108734
UTM Coordinates: Downstream 4578940 North, 463425 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20670

Lake : Koontz Lake

Applicant : Robert S Aloï
20943 South Lake Drive
Walkerton, IN 46574

Description : An approximate 30' wide by 60' long area of an existing channel will be dredged approximately 3-5' below existing grade. The excavated material will be transported to an upland detention area. The shoreline shall be replanted with native wetland plantings at minimal slopes. Details of the project are contained in information and plans received at the Division of Water on February 20, 2007.

Location : Approximately 550' east and 1600' north of the intersection of County Line Road and County Road 700 North
near Koontz Lake, Polk Township, Marshall County
SW¼, NW¼, SW¼, Section 7, T 34N, R 1E, Walkerton Quadrangle
Quad Code: 4108644
UTM Coordinates: Downstream 4584232 North, 544785 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20671

Lake : Lake Wawasee

Applicant : Jay and Donna Miller
213 Summershade Court
Greenfield, IN 46140-1571

Description : A 45' by 50' underwater beach will be constructed across 45' of the applicant's frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on February 21, 2007

Location : 8558 East Smith Drive
near Syracuse, Turkey Creek Township, Kosciusko County
NW¼, NW¼, NE¼, Section 14, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4584962 North, 610168 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20672

Lake : Fish Lake

Applicant : Darrell DeBoy
5820 E 73rd Ave
Merrillville, IN 46410-4027

Description : An existing aluminum and railroad tie seawall will be refaced across a portion of the 50 ft frontage of the applicant on Fish Lake to prevent deterioration. The refacing will consist of vinyl sheet piling which will be anchored to deadmen 12' into the property. The refacing will have a maximum thickness of 6 inches. A new vinyl seawall will be constructed across 50' additional adjoining frontage on Fish Lake to prevent further shoreline erosion into the lake bed. The new vinyl seawall will be anchored to deadmen 12' into the property from the shoreline and will have a maximum thickness of 6". The total wall length will be 100' (50' reface/ 50' new construction). Details of the project are contained in information received electronically at the Division of Water on February 23, 2007.

Location : 102 Francis Drive
near Walkerton, Lincoln Township, LaPorte County
Section 17, T 36N

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20673

Lake : Koontz Lake

Applicant : Ernest Hemmer
4350 Breezy Point Lane
Walkerton, IN 46574-9298

Description : An existing concrete seawall will be refaced across 50' of the applicant's frontage. The reface layer will consist of vinyl sheet piling installed a maximum of 6". Details of the project are contained in information received electronically at the Division of Water on February 23, 2007.

Location : 4350 Breezy Point Lane; Lot # 30 of Breezy Point second addition

near Walkerton, Polk Township, Marshall County
NW¼, SW¼, NW¼, Section 7, T 34N, R 1E, Walkerton Quadrangle
Quad Code: 4108644
UTM Coordinates: Downstream 4584780 North, 544800 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20674

Lake : Koontz Lake

Applicant : Daniel Gailus
4360 Breezy Point Lane
Walkerton, IN 46574-9298

Description : An existing railroad tie seawall will be refaced across the 50 ft frontage of the applicant on Koontz Lake to prevent deterioration. The refacing will consist of Vinyl sheet piling which will be anchored to deadmen 12' into the property from the shoreline. The refacing will have a maximum thickness of 6 inches. Details of the project are contained in information received electronically at the Division of Water on February 23, 2007.

Location : 4360 Breezy Point Lane; Lot #31 in Breezy Point 2nd addition continued
near Walkerton, Polk Township, Marshall County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20675

Lake : Snow Lake

Applicant : Melvin A Budreau
1232 W 300 N
Fowler, IN 47944-8037

Description : A new glacial stone seawall will be constructed across 84' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. An existing underwater beach will be re-constructed across 74' of the applicant's 84' frontage by placing a uniform 2"-3" layer of pea gravel on the existing beach starting approximately 5' south of the northern property line and extending 30' lakeward. Details of the project are contained in information received electronically at the Division of Water on February 26, 2007.

Location : 160 and 180 Lane 820 B Snow Lake
at Fremont, Jamestown Township, Steuben County
Section 27, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20676

Lake : Bruce Lake

Applicant : Lake Bruce Conservancy District
Norm Steigley
1516 N. Lakeshore Dr.
Kewanna, IN 46939-9593

Description : The proposed project includes the installation of vacuum and forced main sewer collection piping directing waste to the proposed wastewater treatment plant to be located near the northwest corner of Bruce Lake. The sewer pipeline will be installed beneath public road right-of-way and a former railroad right-of-way. The collection pipes will need to cross Overmyer Ditch, a County ditch that runs under County Road West 200 North, and the Lake Bruce outlet. The Overmyer Ditch and the Lake Bruce Outlet vacuum sewer collection pipes will run above the streams either attached to the bottom or side of the bridges. The County ditch and the Overmyer Ditch will both have 4" pipes directionally drilled beneath the bottom of the streams. The top of these pipes will be at least 3' below the bottom of the streambed. The proposed project does not intend to impact any wetland areas. The pipes crossing the three streams are designed to be installed with little to no impact to the stream area. The east vacuum station will be constructed on the upland knoll out of the surrounding wetland areas. Details of the project are contained in information and plans received at the Division of Water on February 23, 2007.

Location : Beginning along West South Park Road and extending west around the perimeter of Lake Bruce to Valparaiso Street
DOWNSTREAM: near Kewanna, Union Township, Fulton County
Section 7, T 30N, R 1E, Kewanna Quadrangle
Quad Code: 4108614
UTM Coordinates: Downstream 4546855 North, 545140 East
UPSTREAM:
UTM Coordinates: Upstream 4548085 North, 545035 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20680

Lake : Witmer Lake

Applicant : Chad Jackson
7285 South 185 East
Wolcottville, IN 46795-9592

Description : A new seawall will be constructed across 100ft of the 100ft frontage of the applicant along a channel of off Witmer Lake to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. It will be 24 inches high and will vary uniformly in thickness from 36 inches to 24 inches from the base to the top. The lakeward face of the wall will be along legal/average normal shoreline. A 12" wide layer of fieldstone will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on February 28, 2007.

Location : Witmer lake, 7285s 185e wolcottville
Near Wolcottville, Johnson Township, LaGrange County
Section 32, T 36N, R 10E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20681

Lake : Dewart Lake

Applicant : STEPEHN YODER
12 EMS D18A1 LANE
Syracuse, IN 46567-8099

Description : A new seawall will be constructed across 50 ft of the 50 ft frontage of the applicant along Dewart Lake (channel) to deter shoreline erosion. The wall will consist of poured in place which will be sloped on the lakeward side. It will be 48 inches high and will vary uniformly in thickness from 13 inches to 30 inches from the base to the top. The lakeward face of the wall will be legal shoreline. Details of the project are contained in information received electronically at the Division of Water on February 28, 2007.

Location : 12 EMS D18A1 LN
near Syracuse, Turkey Creek Township, Kosciusko County
NW¼, NW¼, Section 31, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20682

Lake : Lake Manitou

Applicant : Tom Martin
1423 Poplar Lane
Munster, IN 46321-4315

Description : A new seawall will be constructed across 78 ft frontage of the applicant along Manitou Lake to deter shoreline erosion. The wall will consist of Vinyl sheet piling which will be anchored to deadmen 12' into the property. The new seawall will have a maximum thickness of 6 inches. Details of the project are contained in information received electronically at the Division of Water on February 28, 2007.

Location : 1210 Ferndale Drive; Lot 1 Ferndale Park
at Rochester, Rochester Township, Fulton County
Section 9, T 30N

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20683

Lake : Lake Manitou

Applicant : Greg Agnew
1903 Boulevard Street
Rochester, IN 46975-8907

Description : A new seawall will be constructed across 125 ft frontage of the applicant along Manitou Lake to deter shoreline erosion. The wall will consist of Vinyl sheet piling anchored to deadmen 12 ft into the property from the shore line. The new wall will have a maximum thickness of 6 inches. Details of the project are contained in information received electronically at the Division of Water on February 28, 2007.

Location : 1903 Boulevard St; Legal Lot 21 Ferndale and 020A PTSE OLI W Side Lot 21
Easement +RW COL PRI DR
at Rochester, Rochester Township, Fulton County
Section 9, T 30N

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11